

BEST AVAILABLE COPY

FEB 19 2007 3:54 PM FR DICKINSON WRIGHT PLLC33 7274 TO 15712738300

P.01

RECEIVED
CENTRAL FAX CENTER

DICKINSON
WRIGHT PLLC

FACSIMILE
TRANSMITTAL SHEET

FEB 20 2007

38905 WOODWARD AVENUE, SUITE 2000
BLOOMFIELD HILLS, MI 48304-5092
TELEPHONE: (248) 433-7200
FACSIMILE: (248) 433-7274
<http://www.dickinsonwright.com>

CONFIRMATION ☐

TO: Mail Stop AF	COMPANY: U.S. Patent and Trademark Office
FAX NUMBER: 571-273-8300	PHONE NUMBER:

From: John D. Wright

Date: February 19, 2007

Total Number of Pages Including Cover Sheet: 8

Message: After-Final Amendment for U.S. Serial No. 10/643,097

If you have not received the total number of pages, please call the facsimile department at (248) 646-4300. *Thank you.*

IMPORTANT – This message is intended solely to be used by the individual or entity to which it is addressed. It may contain information which is privileged, confidential and otherwise exempt by law from disclosure. If the reader of this message is not the intended recipient, or an employee or agent responsible for delivering this message to its intended recipient, you are herewith notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us by telephone immediately and return this communication to us at the above address via the United States Postal Service. *Thank you.*

OFFICE CODE

Client Name:
Client/Matter Number: 710240-23
Attorney Number: [1186]
Secretary/Ext.: Karri 7386

Matter Name:
Attorney Initials: JDW
No. of Pages: 8
Amount:

RECEIVED
CENTRAL FAX CENTER

FEB 20 2007

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Warran B. Linton
Appl. No. : 10/643,097
Filed : August 18, 2003
Title : METHOD OF FABRICATING PTFE MATERIAL
Grp/A.U. : 1732
Examiner : Stefan Staicovici
Docket No. : 710240-023

AMENDMENT

MAIL STOP AF
Commissioner of Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Dear Sir:

In response to the office action dated January 17, 2007, please amend this application as follows:

BEST AVAILABLE COPY